

AMENDMENTS TO THE CLAIMS

This listing of the claims replaces all prior versions and listings of claims in the application:

Listing of Claims

1. – 28. (canceled)

29. (currently amended) A method of ~~providing~~ loading a medicament-containing chamber of an automatic injection device, the method comprising:  
inserting a seal structure into the chamber at a user selected location within the chamber to divide the chamber into a front compartment and a rear compartment, the chamber having no interior structures, the seal structure having a flow path formable therein and there through;

filling the rear compartment of the chamber with a wet medicament portion through a rear end of the chamber;

sealing the rear end of the rear compartment of the chamber;

filling the front compartment of the chamber with a dry medicament portion through a front end of the chamber; and

sealing the front end of the front compartment of the chamber.

30. (original) The method of claim 29, wherein sealing the front end of the front compartment comprises placing a tapered insert in the front end of the chamber, the tapered insert having a tapered flow pathway therein, the flow pathway being tapered so that the diameter thereof increases as it extends rearwardly.

31. (original) The method of claim 30, further comprising attaching a needle assembly to the front end.

32. (original) The method of claim 29, wherein the rear compartment of the chamber is filled with the wet medicament portion before the front compartment of the chamber is filled with the dry medicament portion.

33. (previously presented) The method of claim 29, wherein sealing the rear end of the rear compartment comprises installing a plunger.

34. (original) The method of claim 29, wherein the dry medicament portion is a powder.

35. (original) The method of claim 29, wherein the dry medicament portion is a tablet sized and adapted to fit through the front end of the chamber.

36. (original) The method of claim 35, wherein the tablet is prepared by lyophilizing a liquid suspension or solution containing suspended or dissolved dry medicament portion in a separate container.

37. (previously presented) The method of claim 29 further comprising after inserting a seal structure and before filling the rear compartment:  
placing the chamber in a low particulate environment.

38. (currently amended) The method of ~~claim 29~~ claim 37 further comprising after sealing the rear end of the rear compartment and before filling the front compartment:  
removing the chamber from the low particulate environment; and  
placing the chamber in an aseptic environment.

39. (currently amended) A method of ~~providing~~ loading a medicament-containing chamber of an automatic injection device, the method comprising:  
inserting a seal structure into the chamber to divide the chamber into a front compartment and a rear compartment;  
placing the chamber in a low particulate environment;

filling the rear compartment of the chamber with a wet medicament portion through a rear end of the chamber;  
sealing the rear end of the rear compartment of the chamber;  
removing the chamber from the low particulate environment;  
placing the chamber in an aseptic environment;  
filling the front compartment of the chamber with a dry medicament portion through a front end of the chamber; and  
sealing the front end of the front compartment of the chamber.

40. (previously presented) The method of claim 39, wherein sealing the front end of the front compartment comprises placing a tapered insert in the front end of the chamber, the tapered insert having a tapered flow path therein, the flow path being tapered so that the diameter thereof increases as it extends rearwardly.

41. (previously presented) The method of claim 39, further comprising attaching a needle assembly to the front end.

42. (previously presented) The method of claim 39, wherein the rear compartment of the chamber is filled with the wet medicament portion before the front compartment of the chamber is filled with the dry medicament portion.

43. (previously presented) The method of claim 39, wherein filling the front compartment of the chamber with a dry medicament comprises:  
filling the front compartment with a liquid; and  
lyophilizing the liquid to leave only the dry medicament in the chamber.

44. (previously presented) The method of claim 39, wherein sealing the rear end of the rear compartment comprises installing a plunger.